Index

IEE Proceedings Part H
Microwaves, Antennas and Propagation
Vol. 137, 1990

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Abduelma'atti, M.T. Frequency conversion mechanism in hot carrier harmonic mixers p227
Aitmehdi, R. Scattered data transformation from cylindrical to plane wave illumination for quantitative diffraction tomography of cylindrical objects p160
Al Zoubi, A.Y. Theoretical model of a microwave Hall-effect empty-cavity signal p78
Al-Charchafchi, S.H., and Boulkos, J. Frequency splitting in microstrip rhombic resonators p179
Al-Charchafchi, S.H., and Boulkos, J. Theoretical and experimental investigation of microstrip rhombic resonators p175
Anderson, A.P., McCormack, J.E., and Junkin, G. see McCormack, J.E.
Ando, M., Hirokawa, J., Sakurai, K., and Goto, N. see Hirokawa, J.
Ando, M., Hirokawa, J., and Goto, N. see Hirokawa, J.
Andrasic, G., and James, J.R. see James, J.R.
Arvas, E., Rahhalarabi, A., Pekel, U., and Gundogan, E. Electromagnetic transmission through a small radome of arbitrary shape p401
Ata, O.W., Benson, T.M., and Marincic, A. Application of optical ray technique to the design of short microwave horn antennas with low side lobe levels p81
Atechian, J., Tao, J.-W., Ratovondrahanta, R., and Baudrand, H. see Tao, J.-W.
Au, P.W.B., Musa, L.S., Parker, E.A., and Langley, R.J. Parametric study of tripole and tripole loop arrays as frequency selective surfaces p263
Aubourg, M., Marouby, E., and Guillon, P. see Marouby, E.
Auda, H.A., and Mahadevan, K. see Mahadevan, K.

B

Boifot, A.M., Lier, E., and Schaung-Pettersen, T. Simple and broadband orthomode transducer p396
Bach Andersen, J., Lauritzen, S.L., and Thommesen, C. Distributions of phase derivatives in mobile communications p197
Bannister, D.J., Hodgetts, T.E., and Griffin, E.J. Multistate instrument for characterising 2-ports p141
Barbosa, A.M., and Fernandes, C.A. see Fernandes, C.A.
Barlatey, L., Mosig, J.R., and Gardiol, F.E. Hybrid integral equation approach for patch antennas in multilayered substrates p99
Baudrand, H., Tao, J.-W., Atechian, J., and Ratovondrahanta, R. see Tao, J.-W.
Bayard, J-P.R., and Shaubert, D.H. Finite difference analysis of infinite arrays of two-dimensional microstrip structures p358
Benalla, A., and Gupta, K.C. Multiport network model for rectangular microstrip patches covered with a dielectric layer p377
Bennegueouche, J., Damiano, J.P., and Papiernik, A. see Damiano, J.P.
Benson, T.M., Ata, O.W., and Marincic, A. see Ata, O.W.
Bergeault, E., Huyart, B., Geneves, G., and Jallet, L. Measurement error for six port ANA p415
Bialkowski, M.E., and Woods, G.S. see Woods, G.S.
Bird, T.S. Behaviour of multiple elliptical waveguides opening into a ground plane p121
Boulkos, J., and Al-Charchafchi, S.H. see Al-Charchafchi, S.H.
Brickell, F., Westcott, B.S., and Wolton, I.C. see Westcott, B.S.
Bucci, O.M., Franceschetti, G., Mazzariella, G., and Panariello, G. Intersection approach to array pattern synthesis p349

C

Cai, X.-D., and Li, J.-Y. Analysis of asymmetric TEM cell and its optimum design of electric field distribution e80
Cheng, S., and Helszajn, J. see Helszajn, J.
Chow, Y., and Faraji-Dana, R. see Faraji-Dana, R.
Ciric, I.R., and Cooray, M.F.R. Admittance characteristics and far-field patterns for coupled spheroidal dipole antennas in arbitrary configuration p337
Cooray, M.F.R., and Ciric, I.R. see Ciric, I.R.
Costamagna, E., and Fanni, A. Asymmetric TEM cell impedance calculation p318
Cronin, N.J., Wells, J.A., and Reece, P.H. see Wells, J.A.
Crowell, K.J., and Nevels, R.D. see Nevels, R.D.

D

Damiano, J.P., Bennegueouche, J., and Papiernik, A. Study of multilayer microstrip antennas with radiating elements of various geometry p163
Das, B.N., and Somasekhar Rao, P.V.D. Moment method analysis of a slot coupled junction between dissimilar rectangular waveguides p406
De wolf, D.A., Russchenberg, H.W.J., and Ligthart, L.P. Modelling of particle distribution in the melting layer p389
Delisle, G.Y., Wu, K.-L., and Fang, D.-G. see Wu, K.-L.
Dou, W.B., and Rong, Y. see Rong, Y.

E

Easter, B., Webster, M.J., and Hornsby, J.S. see Webster, M.J.
Ediss, G.A. Diffraction of a Gaussian beam at an aperture p171
Elliott, R.S., and Stern, G.J. Footprint patterns obtained by planar arrays p108
Elsherbeni, A.Z., and Tew, M. Scattering by a circular conducting cylinder coated with an inhomogeneous dielectric shell p213

F

Fang, D.-G., Wu, K.-L., and Delisle, G.Y. see Wu, K.-L.
Fanni, A., and Costamagna, E. see Costamagna, E.
Faraji-Dana, R., and Chow, Y. Edge condition of the field and a.c. resistance of a rectangular strip conductor p133
Fernandes, C.A., and Barbosa, A.M. Radiation from a sheath helix excited by a circular waveguide: a Wiener-Hopf analysis p269
Franceschetti, G., Bucci, O.M., Mazzariella, G., and Panariello, G. see Bucci, O.M.
Fukuchi, H. Prediction of depolarisation distributions on earth–space paths p325

G

Gardiol, F.E., Barlatey, L., and Mosig, J.R. see Barlatey, L.
Geneves, G., Bergeault, E., Huyart, B., and Jallet, L. see Bergeault, E.
Gibbins, C.J. Propagation of very short pulses through the absorptive and dispersive atmosphere p304
Goto, N., Hirokawa, J., Sakurai, K., and Ando, M. see Hirokawa, J.
Goto, N., Hirokawa, J., and Ando, M. see Hirokawa, J.
Griffin, E.J., Bannister, D.J., and Hodgetts, T.E. see Bannister, D.J.
Guillon, P., Marouby, E., and Aubourg, M. see Marouby, E.
Gundogan, E., Arvas, E., Rahhalarabi, A., and Pekel, U. see Arvas, E.
Gupta, K.C., and Benalla, A. see Benalla, A.

H

Hall, P.S., and Vetterlein, S.J. Review of radio frequency beamforming techniques for scanned and multiple beam antennas p293
Hansen, R.C. Evaluation of the large array method p94
Hansson, L. New concept used to predict slant path rain attenuation statistics p89
Harrington, R.F., Kim, C.Y., Yu, S.D., Ra, J.W., and Lee, S.Y. see Kim, C.Y.
Helszajn, J., and Cheng, S. Aspect ratio of open resonators in design of evanescent mode *E*-plane circulators p55
Hirokawa, J., Ando, M., and Goto, N. Analysis of slot coupling in a radial line slot antenna for DBS reception p249
Hirokawa, J., Sakurai, K., Ando, M., and Goto, N. Matching slot pair for a circularly-polarised slotted waveguide array p367
Hodgetts, T.E., Bannister, D.J., and Griffin, E.J. see Bannister, D.J.
Hornsby, J.S., Webster, M.J., and Easter, B. see Webster, M.J.
Howson, D.P., Mahdi, A., and Khanifar, A. see Mahdi, A.
Huyart, B., Bergeault, E., Geneves, G., and Jallet, L. see Bergeault, E.

I

Ise, K., and Koshiba, M. Dielectric post resonances in a rectangular waveguide p61

J

Jallet, L., Bergeault, E., Huyart, B., and Geneves, G. see Bergeault, E.
James, J.R., and Andrasic, G. Assessing the accuracy of wideband electrical data using Hilbert transforms p184
Jin, H., and Lin, W. Dyadic Green's functions for a rectangular waveguide with an E-plane dielectric slab p231
Jin, J.-M., and Volakis, J.L. TM scattering by an inhomogeneously filled aperture in a thick conducting plane p153
Jones, T.B., Warrington, E.M., and Thomas, E.C. see Warrington, E.M.
Junkin, G., McCormack, J.E., and Anderson, A.P. see McCormack, J.E.

K

Khanifar, A., Mahdi, A., and Howson, D.P. see Mahdi, A.
Khanna, R., and Koul, S.K. see Koul, S.K.
Kildal, P.-S. Gaussian beam model for aperture-controlled and flareangle-controlled corrugated horn antennas d420
Kildal, P.-S. Laws of geometric optics mapping in multi-reflector antennas with application to elliptical apertures e152
Kim, C.Y., Yu, S.D., Harrington, R.F., Ra, J.W., and Lee, S.Y. Computation of waveguide modes for waveguides of arbitrary cross-section p145
Klaassen, W. Attenuation and reflection of radio waves by a melting layer of precipitation p39
Koshiba, M., and Ise, K. see Ise, K.
Koshiba, M., and Sakai, K. see Sakai, K.
Koul, S.K., and Khanna, R. Broadside-coupled rectangular resonators in suspended stripline with single and double dielectrics p411
Kraft, U.R. Optimisation of circular polarisation performance for 4-arm planar spiral antenna with non perfect excitation networks p45
Krishnamurthy, K., and Kumar, S. see Kumar, S.
Kumar, S., and Krishnamurthy, K. Predistortion techniques for transmission and reflection microwave PSK modulators p213

L

Langley, R.J., Au, P.W.B., Musa, L.S., and Parker, E.A. see Au, P.W.B.
Langley, R.J., and Nurie, N.S. see Nurie, N.S.
Lauritzen, S.L., Bach Andersen, J., and Thommesen, C. see Bach Andersen, J.
Lee, S.Y., Kim, C.Y., Yu, S.D., Harrington, R.F., and Ra, J.W. see Kim, C.Y.
Li, J.-Y., and Cai, X.-D. see Cai, X.-D.
Lier, E., Boifot, A.M., and Schaung-Pettersen, T. see Boifot, A.M.
Lier, E., and Rengarajan, S. Radiation from elliptical hybrid-mode waveguides p417
Ligthart, L.P., de Wolf, D.A., and Russchenberg, H.W.J. see De wolf, D.A.
Lin, W., and Jin, H. see Jin, H.
Lin, Y., and Shafai, L. Characteristics of concentrically shorted circular patch microstrip antennas p18

M

Mahadevan, K., and Auda, H.A. Rectangular waveguide periodically loaded with uniform E-plane strips on a dielectric substrate p241
Mahdi, A., Khanifar, A., and Howson, D.P. Digital switching of mobile radio transmitter cavity resonators p321
Marincic, A., Ata, O.W., and Benson, T.M. see Ata, O.W.
Marouby, E., Aubourg, M., and Guillon, P. Application of the finite element method to the design of transitions between coaxial lines p219
Martin, E., Navarro, A., and Nuñez, M.J. see Navarro, A.
Martin, E., Sanchez, M.C., and Zamarro, J.M. see Sanchez, M.C.
Mazzariella, G., Bucci, O.M., Franceschetti, G., and Panariello, G. see Bucci, O.M.
McCormack, J.E., Junkin, G., and Anderson, A.P. Microwave metrology of reflector antennas from a single amplitude pattern p276
Mehler, M.J., and Parkinson, J.R. see Parkinson, J.R.
Mirshekar-Syahkal, D., and Mohammad-Taheri, M. see Mohammad-Taheri, M.
Mohammad-Taheri, M., and Mirshekar-Syahkal, D. Computation of Q-factors of dielectric-loaded cylindrical cavity resonators p372
Moheb, H., and Shafai, L. Modal analysis method for bodies of arbitrary cross-section for numerical computation p255
Mosig, J.R., Barlatey, L., and Gardiol, F.E. see Barlatey, L.
Musa, L.S., Au, P.W.B., Parker, E.A., and Langley, R.J. see Au, P.W.B.

N

Navarro, A., Nuñez, M.J., and Martin, E. Finite difference time domain FFT method applied to axially symmetrical electromagnetic resonant devices p193
Neelakanta, P.S. Gaussian beam model for aperture-controlled and flareangle-controlled corrugated horn antennas d420
Nevels, R.D., and Crowell, K.J. A Coulomb gauge analysis of a wire scatterer p384
Nuñez, M.J., Navarro, A., and Martin, E. see Navarro, A.
Nurie, N.S., and Langley, R.J. Input impedance of concentric ring microstrip antennas for dual frequency band operation including surface wave coupling p331

P

Panariello, G., Bucci, O.M., Franceschetti, G., and Mazzariella, G. see Bucci, O.M.
Papiernik, A., Damiano, J.P., and Bennegueouche, J. see Damiano, J.P.
Parker, E.A., Au, P.W.B., Musa, L.S., and Langley, R.J. see Au, P.W.B.
Parkinson, J.R., and Mehler, M.J. Integral equation formulation of cylindrical feed-axisymmetric reflector coupling p11
Pekel, U., Arvas, E., Rahhalarabi, A., and Gundogan, E. see Arvas, E.
Pozar, D.M. Performance of an infinite array of monopoles in a grounded dielectric slab p117

R

Ra, J.W., Kim, C.Y., Yu, S.D., Harrington, R.F., and Lee, S.Y. see Kim, C.Y.
Rahhalarabi, A., Arvas, E., Pekel, U., and Gundogan, E. see Arvas, E.
Ratovondrahanta, R., Tao, J.-W., Atechian, J., and Baudrand, H. see Tao, J.-W.
Reece, P.H., Wells, J.A., and Cronin, N.J. see Wells, J.A.
Rengarajan, S., and Lier, E. see Lier, E.
Rengarajan, S.R. Scattering characteristics of a centred-inclined slot in a broad wall of a rectangular waveguide p343
Rong, Y., and Dou, W.B. Theoretical analysis of arbitrary angle H-plane waveguide bend discontinuity p189
Russchenberg, H.W.J., de Wolf, D.A., and Ligthart, L.P. see De wolf, D.A.

S

Sakai, K., and Koshiba, M. Analysis of electromagnetic field distribution in tunnels by the boundary-element method p202
Sakurai, K., Hirokawa, J., Ando, M., and Goto, N. see Hirokawa, J.
Sali, S. Modelling of resistive and geometrical discontinuities in microstrip interconnections on integrated circuits p285
Sanchez, M.C., Martin, E., and Zamarro, J.M. Unified and simplified treatment of techniques for characterising transmission, reflection or absorption resonators p209
Schaung-Pettersen, T., Bøifot, A.M., and Lier, E. see Bøifot ..M.
Shafai, L., and Lin, Y. see Lin, Y.
Shafai, L., and Moheb, H. see Moheb, H.
Shaubert, D.H., and Bayard, J-P.R. see Bayard, J-P.R.
Shively, D.G., and Stutzman, W.L. Wideband arrays with variable element sizes p238
Somasekhar Rao, P.V.D., and Das, B.N. see Das, B.N.
Stern, G.J., and Elliott, R.S. see Elliott, R.S.
Stutzman, W.L., and Shively, D.G. see Shively, D.G.

T

Tao, J.-W., Atechian, J., Ratovondrahanta, R., and Baudrand, H. Transverse operator study of a large class of multidielectric waveguides p311
Tew, M., and Elsherbeni, A.Z. see Elsherbeni, A.Z.
Thomas, E.C., Warrington, E.M., and Jones, T.B. see Warrington, E.M.
Thommesen, C., Bach Andersen, J., and Lauritzen, S.L. see Bach Andersen, J.

V

Vetterlein, S.J., and Hall, P.S. see Hall, P.S.
Volakis, J.L., and Jin, J.-M. see Jin, J.-M.

W

Wang, J.J.H. Generalised moment methods in electromagnetics p127
Warrington, E.M., Thomas, E.C., and Jones, T.B. Measurements on the wavefronts of ionospherically propagated HF radio waves made with a large aperture antenna array p25
Webster, M.J., Easter, B., and Hornsby, J.S. Accurate determination of frequency dependent three element equivalent circuit for symmetric step microstrip discontinuity p51
Weiglhofer, W.S. Dyadic Green's functions for general uniaxial media p5
Wells, J.A., Cronin, N.J., and Reece, P.H. Rugged 94 GHz crossbar balanced mixer p235
Westcott, B.S., Brickell, F., and Wolton, I.C. Cross-polar control in far-field synthesis of dual offset reflectors p31
Whitteker, J.H. Diffraction over a flat-topped terrain obstacle p113
Wolton, I.C., Westcott, B.S., and Brickell, F. see Westcott, B.S.
Wong, K.-L. Effects of electromagnetic interference for electromagnetic pulses incident on microstrip circuits p75
Woods, G.S., and Bialkowski, M.E. Integrated design of an automatic six-port network analyser p67
Wu, K.-L., Delisle, G.Y., and Fang, D.-G. EM scattering of an arbitrary multiple dielectic coated conducting cylinder by coupled finite boundary element method p1
Wylde, R.J. Gaussian beam model for aperture-controlled and flareangle-controlled corrugated horn antennas d420

X

Xu, Y.-S. Theoretical analysis of propagation characteristics of MSW in iron films p150

Y

Yu, S.D., Kim, C.Y., Harrington, R.F., Ra, J.W., and Lee, S.Y. see Kim, C.Y.

Z

Zamarro, J.M., Sanchez, M.C., and Martin, E. see Sanchez, M.C.

ADAPTIVE CONTROL

Crosspolar control in far-field synthesis of dual offset reflectors. B.S. Westcott, F. Brickell and I.C. Wolton p31

ANTENNAS

Behaviour of multiple elliptical waveguides opening into a ground plane. T.S. Bird p121
Digital switching of mobile radio transmitter cavity resonators. A. Mahdi, A. Khanifar and D.P. Howson p321
Footprint patterns obtained by planar arrays. R.S. Elliott and G.J. Stern p108
Hybrid integral equation approach for patch antennas in multilayered substrates. L. Barlatey, J.R. Mosig and F.E. Gardiol p99
Microwave metrology of reflector antennas from a single amplitude pattern. J.E. McCormack, G. Junkin and A.P. Anderson p276
Optimisation of circular polarisation performance for 4-arm planar spiral antenna with non perfect excitation networks. U.R. Kraft p45
Performance of an infinite array of monopoles in a grounded dielectric slab. D.M. Pozar p117

ANTENNAS (APERTURE)

Diffraction of a Gaussian beam at an aperture. G.A. Ediss p171

ANTENNAS (ARRAYS)

Admittance characteristics and far-field patterns for coupled spheroidal dipole antennas in arbitrary configuration. I.R. Ciric and M.F.R. Cooray p337
Analysis of slot coupling in a radial line slot antenna for DBS reception. J. Hirokawa, M. Ando and N. Goto p249
Evaluation of the large array method. R.C. Hansen p94
Finite difference analysis of infinite arrays of two-dimensional microstrip structures. J-P.R. Bayard and D.H. Shaubert p358
Intersection approach to array pattern synthesis. O.M. Bucci, G. Franceschetti, G. Mazzariella and G. Panariello p349
Matching slot pair for a circularly-polarised slotted waveguide array. J. Hirokawa, K. Sakurai, M. Ando and N. Goto p367
Measurements on the wavefronts of ionospherically propagated HF radio waves made with a large aperture antenna array. E.M. Warrington, E.C. Thomas and T.B. Jones p25
Parametric study of tripole and tripole loop arrays as frequency selective surfaces. P.W.B. Au, L.S. Musa, E.A. Parker and R.J. Langley p263
Performance of an infinite array of monopoles in a grounded dielectric slab. D.M. Pozar p117
Review of radio frequency beamforming techniques for scanned and multiple beam antennas. P.S. Hall and S.J. Vetterlein p293
Scattering characteristics of a centred-inclined slot in a broad wall of a rectangular waveguide. S.R. Rengarajan p343
Wideband arrays with variable element sizes. D.G. Shively and W.L. Stutzman p238

ANTENNAS (DIPOLE)

Admittance characteristics and far-field patterns for coupled spheroidal dipole antennas in arbitrary configuration. I.R. Ciric and M.F.R. Cooray p337

ANTENNAS (FREQUENCY INPENDENT)

Wideband arrays with variable element sizes. D.G. Shively and W.L. Stutzman p238

ANTENNAS (HORNS AND FEEDS)

Application of optical ray technique to the design of short microwave horn antennas with low side lobe levels. O.W. Ata, T.M. Benson and A. Marincic p81
Gaussian beam model for aperture-controlled and flareangle-controlled corrugated horn antennas. P.-S. Kildal d420
Integral equation formulation of cylindrical feed-axisymmetric reflector coupling. J.R. Parkinson and M.J. Mehler p11
Radiation from a sheath helix excited by a circular waveguide: a Wiener-Hopf analysis. C.A. Fernandes and A.M. Barbosa p269
Radiation from elliptical hybrid-mode waveguides. E. Lier and S. Rengarajan p417

ANTENNAS (MEASUREMENTS)

Measurements on the wavefronts of ionospherically propagated HF radio waves made with a large aperture antenna array. E.M. Warrington, E.C. Thomas and T.B. Jones p25

ANTENNAS (MICROSTRIP)

Accurate determination of frequency dependent three element equivalent circuit for symmetric step microstrip discontinuity. M.J. Webster, B. Easter and J.S. Hornsby p51
Characteristics of concentrically shorted circular patch microstrip antennas. Y. Lin and L. Shafai p18
Effects of electromagnetic interference for electromagnetic pulses incident on microstrip circuits. K.-L. Wong p75
Finite difference analysis of infinite arrays of two-dimensional microstrip structures. J-P.R. Bayard and D.H. Shaubert p358
Input impedance of concentric ring microstrip antennas for dual frequency band operation including surface wave coupling. N.S. Nurie and R.J. Langley p331
Multiport network model for rectangular microstrip patches covered with a dielectric layer. A. Benalla and K.C. Gupta p377
Study of multilayer microstrip antennas with radiating elements of various geometry. J.P. Damiano, J. Bennegueouche and A. Papiernik p163

ANTENNAS (REFLECTORS)

Integral equation formulation of cylindrical feed-axisymmetric reflector coupling. J.R. Parkinson and M.J. Mehler p11
Laws of geometric optics mapping in multi-reflector antennas with application to elliptical apertures. P.-S. Kildal e152

ANTENNAS (SLOT)

Analysis of slot coupling in a radial line slot antenna for DBS reception. J. Hirokawa, M. Ando and N. Goto p249
Matching slot pair for a circularly-polarised slotted waveguide array. J. Hirokawa, K. Sakurai, M. Ando and N. Goto p367
Scattering characteristics of a centred-inclined slot in a broad wall of a rectangular waveguide. S.R. Rengarajan p343

ANTENNAS (THEORY)

Crosspolar control in far-field synthesis of dual offset reflectors. B.S. Westcott, F. Brickell and I.C. Wolton p31
Intersection approach to array pattern synthesis. O.M. Bucci, G. Franceschetti, G. Mazzariella and G. Panariello p349

ANTENNAS (TRAVELLING WAVE)

Radiation from a sheath helix excited by a circular waveguide: a Wiener-Hopf analysis. C.A. Fernandes and A.M. Barbosa p269

COAXIAL COMPONENTS

Application of the finite element method to the design of transitions between coaxial lines. E. Marouby, M. Aubourg and P. Guillon p219

DETECTION

Frequency conversion mechanism in hot carrier harmonic mixers. M.T. Abduelma'atti p227

DIELECTRIC MATERIALS

Computation of Q-factors of dielectric-loaded cylindrical cavity resonators. M. Mohammad-Taheri and D. Mirshekar-Syahkal p372

ELECTROMAGNETIC COMPATIBILITY

Analysis of asymmetric TEM cell and its optimum design of electric field distribution. X.-D. Cai and J.-Y. Li e80
Effects of electromagnetic interference for electromagnetic pulses incident on microstrip circuits. K.-L. Wong p75

ELECTROMAGNETIC THEORY

A Coulomb gauge analysis of a wire scatterer. R.D. Nevels and K.J. Crowell p384
Analysis of electromagnetic field distribution in tunnels by the boundary-element method. K. Sakai and M. Koshiba p202
Diffraction over a flat-topped terrain obstacle. J.H. Whitteker p113
Dyadic Green's functions for a rectangular waveguide with an E-plane dielectric slab. H. Jin and W. Lin p231
Dyadic Green's functions for general uniaxial media. W.S. Weiglhofer p5
EM scattering of an arbitrary multiple dielectic coated conducting cylinder by coupled finite boundary element method. K.-L. Wu, G.Y. Delisle and D.-G. Fang p1
Edge condition of the field and a.c. resistance of a rectangular strip conductor. R. Faraji-Dana and Y. Chow p133
Electromagnetic transmission through a small radome of arbitrary shape. E. Arvas, A. Rahhalarabi, U. Pekel and E. Gundogan p401
Finite difference time domain FFT method applied to axially symmetrical electromagnetic resonant devices. A. Navarro, M.J. Nuñez and E. Martin p193
Generalised moment methods in electromagnetics. J.J.H. Wang p127
Modal analysis method for bodies of arbitrary cross-section for numerical computation. H. Moheb and L. Shafai p255
Radiation from a sheath helix excited by a circular waveguide: a Wiener-Hopf analysis. C.A. Fernandes and A.M. Barbosa p269
Scattering by a circular conducting cylinder coated with an inhomogeneous dielectric shell. A.Z. Elsherbeni and M. Tew p213
TM scattering by an inhomogeneously filled aperture in a thick conducting plane. J.-M. Jin and J.L. Volakis p153
Theoretical analysis of propagation characteristics of MSW in iron films. Y.-S. Xu p150

FERRITES AND FERROMAGNETICS

Aspect ratio of open resonators in design of evanescent mode *E*-plane circulators. J. Helszajn and S. Cheng p55

GRAPH THEORY AND TOPOLOGY

Scattered data transformation from cylindrical to plane wave illumination for quantitative diffraction tomography of cylindrical objects. R. Aitmehdi p160

INSTRUMENTATION AND MEASURING SCIENCE

Measurement error for six port ANA. E. Bergeault, B. Huyart, G. Geneves and L. Jallet p415
Multistate instrument for characterising 2-ports. D.J. Bannister, T.E. Hodgetts and E.J. Griffin p141

INTEGRATED CIRCUITS

Modelling of resistive and geometrical discontinuities in microstrip interconnections on integrated circuits. S. Sali p285

MATHEMATICAL TECHNIQUES

Application of the finite element method to the design of transitions between coaxial lines. E. Marouby, M. Aubourg and P. Guillon p219
Assessing the accuracy of wideband electrical data using Hilbert transforms. J.R. James and G. Andrasic p184
Dyadic Green's functions for a rectangular waveguide with an E-plane dielectric slab. H. Jin and W. Lin p231
Dyadic Green's functions for general uniaxial media. W.S. Weiglhofer p5
Generalised moment methods in electromagnetics. J.J.H. Wang p127

Modelling of resistive and geometrical discontinuities in microstrip interconnections on integrated circuits. S. Sali p285
Performance of an infinite array of monopoles in a grounded dielectric slab. D.M. Pozar p117
Rectangular waveguide periodically loaded with uniform E-plane strips on a dielectric substrate. K. Mahadevan and H.A. Auda p241
Scattered data transformation from cylindrical to plane wave illumination for quantitative diffraction tomography of cylindrical objects. R. Aitmehdi p160

MICROSTRIP AND STRIPLINE

Broadside-coupled rectangular resonators in suspended stripline with single and double dielectrics. S.K. Koul and R. Khanna p411
Frequency splitting in microstrip rhombic resonators. S.H. Al-Charchafchi and J. Boulkos p179
Modelling of resistive and geometrical discontinuities in microstrip interconnections on integrated circuits. S. Sali p285
Theoretical and experimental investigation of microstrip rhombic resonators. S.H. Al-Charchafchi and J. Boulkos p175

MICROWAVE CIRCUITS AND NETWORKS

Predistortion techniques for transmission and reflection microwave PSK modulators. S. Kumar and K. Krishnamurthy p213

MICROWAVE INTEGRATED CIRCUITS

Integrated design of an automatic six-port network analyser. G.S. Woods and M.E. Bialkowski p67
Theoretical analysis of propagation characteristics of MSW in iron films. Y.-S. Xu p150

MICROWAVE MEASUREMENTS

Assessing the accuracy of wideband electrical data using Hilbert transforms. J.R. James and G. Andrasic p184
Microwave metrology of reflector antennas from a single amplitude pattern. J.E. McCormack, G. Junkin and A.P. Anderson p276

MICROWAVE PASSIVE COMPONENTS

Aspect ratio of open resonators in design of evanescent mode *E*-plane circulators. J. Helszajn and S. Cheng p55
Frequency splitting in microstrip rhombic resonators. S.H. Al-Charchafchi and J. Boulkos p179
Theoretical and experimental investigation of microstrip rhombic resonators. S.H. Al-Charchafchi and J. Boulkos p175
Theoretical model of a microwave Hall-effect empty-cavity signal. A.Y. Al Zoubi p78
Unified and simplified treatment of techniques for characterising transmission, reflection or absorption resonators. M.C. Sanchez, E. Martin and J.M. Zamarro p209

MICROWAVE SYSTEMS

Review of radio frequency beamforming techniques for scanned and multiple beam antennas. P.S. Hall and S.J. Vetterlein p293

MILLIMETRE WAVE DEVICES AND COMPONENTS

Rugged 94 GHz crossbar balanced mixer. J.A. Wells, N.J. Cronin and P.H. Reece p235

MODULATION

Predistortion techniques for transmission and reflection microwave PSK modulators. S. Kumar and K. Krishnamurthy p213

NETWORKS

Predistortion techniques for transmission and reflection microwave PSK modulators. S. Kumar and K. Krishnamurthy p213

NUMERICAL ANALYSIS

Behaviour of multiple elliptical waveguides opening into a ground plane. T.S. Bird p121
Finite difference time domain FFT method applied to axially symmetrical electromagnetic resonant devices. A. Navarro, M.J. Nuñez and E. Martin p193
Frequency conversion mechanism in hot carrier harmonic mixers. M.T. Abduelma'atti p227
Laws of geometric optics mapping in multi-reflector antennas with application to elliptical apertures. P.-S. Kildal e152
Modal analysis method for bodies of arbitrary cross-section for numerical computation. H. Moheb and L. Shafai p255
Scattering by a circular conducting cylinder coated with an inhomogeneous dielectric shell. A.Z. Elsherbeni and M. Tew p213
Theoretical analysis of arbitrary angle H-plane waveguide bend discontinuity. Y. Rong and W.B. Dou p189

PHASING AND PHASE CONTROL

Microwave metrology of reflector antennas from a single amplitude pattern. J.E. McCormack, G. Junkin and A.P. Anderson p276

PROPAGATION IN RANDOM MEDIA

Diffraction over a flat-topped terrain obstacle. J.H. Whitteker p113

RADAR AND RADIONAVIGATION

Modelling of particle distribution in the melting layer. D.A. de Wolf, H.W.J. Russchenberg and L.P. Ligthart p389
Review of radio frequency beamforming techniques for scanned and multiple beam antennas. P.S. Hall and S.J. Vetterlein p293

RADIO-WAVE PROPAGATION (MICROWAVE)

Modelling of particle distribution in the melting layer. D.A. de Wolf, H.W.J. Russchenberg and L.P. Ligthart p389
Prediction of depolarisation distributions on earth–space paths. H. Fukuchi p325
Propagation of very short pulses through the absorptive and dispersive atmosphere. C.J. Gibbins p304

RADIO-WAVE PROPAGATION (MILLIMETRE WAVE)

Propagation of very short pulses through the absorptive and dispersive atmosphere. C.J. Gibbins p304

RADIO-WAVE PROPAGATION (TERRAIN EFFECTS)

Distributions of phase derivatives in mobile communications. J. Bach Andersen, S.L. Lauritzen and C. Thommesen p197

RADIO-WAVE PROPAGATION (TROPOSPHERIC)

Attenuation and reflection of radio waves by a melting layer of precipitation. W. Klaassen p39

RADIOCOMMUNICATION

Distributions of phase derivatives in mobile communications. J. Bach Andersen, S.L. Lauritzen and C. Thommesen p197

RADOMES

Electromagnetic transmission through a small radome of arbitrary shape. E. Arvas, A. Rahhalarabi, U. Pekel and E. Gundogan p401

SATELLITE LINKS AND SPACE COMMUNICATION

Analysis of slot coupling in a radial line slot antenna for DBS reception. J. Hirokawa, M. Ando and N. Goto p249
Prediction of depolarisation distributions on earth–space paths. H. Fukuchi p325

SEMICONDUCTOR DEVICES AND MATERIALS

Computation of Q-factors of dielectric-loaded cylindrical cavity resonators. M. Mohammad-Taheri and D. Mirshekar-Syahkal p372
Theoretical and experimental investigation of microstrip rhombic resonators. S.H. Al-Charchafchi and J. Boulkos p175

SIMULATION

Asymmetric TEM cell impedance calculation. E. Costamagna and A. Fanni p318
Frequency conversion mechanism in hot carrier harmonic mixers. M.T. Abduelma'atti p227
Hybrid integral equation approach for patch antennas in multilayered substrates. L. Barlatey, J.R. Mosig and F.E. Gardiol p99
Modelling of resistive and geometrical discontinuities in microstrip interconnections on integrated circuits. S. Sali p285
New concept used to predict slant path rain attenuation statistics. L. Hansson p89
Theoretical model of a microwave Hall-effect empty-cavity signal. A.Y. Al Zoubi p78

TRANSDUCERS

Simple and broadband orthomode transducer. A.M. Bøifot, E. Lier and T. Schaung-Pettersen p396

TRANSMISSION LINES

Analysis of asymmetric TEM cell and its optimum design of electric field distribution. X.-D. Cai and J.-Y. Li e80

WAVEGUIDES AND WAVEGUIDE COMPONENTS

Behaviour of multiple elliptical waveguides opening into a ground plane. T.S. Bird p121
Computation of waveguide modes for waveguides of arbitrary cross-section. C.Y. Kim, S.D. Yu, R.F. Harrington, J.W. Ra and S.Y. Lee p145
Dielectric post resonances in a rectangular waveguide. K. Ise and M. Koshiba p61
Moment method analysis of a slot coupled junction between dissimilar rectangular waveguides. B.N. Das and P.V.D. Somasekhar Rao p406
Radiation from elliptical hybrid-mode waveguides. E. Lier and S. Rengarajan p417
Rectangular waveguide periodically loaded with uniform E-plane strips on a dielectric substrate. K. Mahadevan and H.A. Auda p241
Theoretical analysis of arbitrary angle H-plane waveguide bend discontinuity. Y. Rong and W.B. Dou p189
Transverse operator study of a large class of multidielectric waveguides. J.-W. Tao, J. Atechian, R. Ratovondrahanta and H. Baudrand p311